UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/698,763	10/31/2003	Michael J. Botich	P01404US3	2804
65008 STOEL RIVES	7590 04/17/200 LLP	EXAMINER		
	STREET, SUITE 1100		STIGELL, THEODORE J	
ONE UTAH CENTER SALT LAKE CITY, UT 84111			ART UNIT	PAPER NUMBER
			3763	
			MAIL DATE	DELIVERY MODE
			04/17/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)			
	10/698,763	BOTICH ET AL.			
Office Action Summary	Examiner	Art Unit			
	THEODORE J. STIGELL	3763			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earmed patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	lely filed the mailing date of this communication. (35 U.S.C. § 133).			
Status					
Responsive to communication(s) filed on 16 M This action is FINAL . 2b) ☑ This Since this application is in condition for allowar closed in accordance with the practice under E	action is non-final. nce except for formal matters, pro				
Disposition of Claims					
4) ☐ Claim(s) 1-5,9-14,16-20,22 and 23 is/are pend 4a) Of the above claim(s) is/are withdraw 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-5,9-14,16-20,22 and 23 is/are reject 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or	vn from consideration.				
9) The specification is objected to by the Examine	r				
10) The drawing(s) filed on is/are: a) access applicant may not request that any objection to the confidence of th	epted or b) objected to by the Edrawing(s) be held in abeyance. See ion is required if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 4/13/2009.	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ite			

Art Unit: 3763

DETAILED ACTION

Response to Amendment

Double Patenting

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Claims 1-5, 9-14, 16-20, and 22-23 are rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1-2 of U.S. Patent No. 7,153,276. Although the conflicting claims are not identical, they are not patentably distinct from each other because the patented claims more broadly recite the same needle retraction mechanism.

Claims 1-5, 9-14, 16-20, and 22-23 are rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1-10 of U.S. Patent No. 6,786,875. Although the conflicting claims are not identical, they are not

Application/Control Number: 10/698,763 Page 3

Art Unit: 3763

patentably distinct from each other because the patented claims more broadly recite the same needle retraction mechanism.

Claims 1-5, 9-14, 16-20, and 22-23 are rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 16-28 of U.S. Patent No. 6,398,743. Although the conflicting claims are not identical, they are not patentably distinct from each other because the patented claims more broadly recite the same needle retraction mechanism.

Claims 1-5, 9-14, 16-20, and 22-23 are rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1-2 of U.S. Patent No. 7,097,633. Although the conflicting claims are not identical, they are not patentably distinct from each other because the claim sets recite substantially the same retraction mechanism.

Claims 1-5, 9-14, 16-20, and 22-23 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 2-7 and 9 of copending Application No. 11/468,243. Although the conflicting claims are not identical, they are not patentably distinct from each other because claim sets recite substantially the same retraction mechanism.

This is a <u>provisional</u> obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

Response to Arguments

Art Unit: 3763

Applicant's arguments, see Remarks, filed 3/16/2009, with respect to the Shaw (5,779,679) rejection have been fully considered and are persuasive. The rejection has been withdrawn.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to THEODORE J. STIGELL whose telephone number is (571)272-8759. The examiner can normally be reached on M-F 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nicholas Lucchesi can be reached on 571-272-4977. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Application/Control Number: 10/698,763 Page 5

Art Unit: 3763

Examiner, Art Unit 3763

/Nicholas D Lucchesi/ Supervisory Patent Examiner, Art Unit 3763